

华通威通讯

全球认证 本地化服务 Local Service For Global Certification

05

NO



EMC



安规



系统能效



化学

١٠

↑

⊢

$\mathcal{D}_o$ “ $\downarrow$ ”
⊢

“ $\downarrow$ ”
 $\mathcal{D}_o$ “ $\downarrow$ ”
⊢

⌈

⌋

Ω ⌋

$\mathcal{D}_p$ “ ∞ ”



∞ $\mathcal{D}_p$

⌈



标准更新

为你带来全球最新的标准信息



欧明低电压指令更新 2014/35/EU

New Legislative Framework NLF 2014 3 29 e									
1	2014/35/EU			1	1	2006/95/EC		2016 4 20	
1	2016	4	19	1		1	VOC	2016	4
20									
1		1	50-1000			75-1500			
			%	1					
1.	L		No						
2.									
3.							L	1	
4.									
1.	L								
2.	Notified body								

Ü

文/华通威 安规检测部

IEC Ü 60601-1 ~ I TRF ‰ IEC60601-1: 2005 + CORR. 1:2006 + CORR. 2:2007
+ AM1:2012

TRF	H	Ÿ	A1	Ÿ	‰	ISO14971 2001	ISO14971:2007
Ÿ	7	Ÿ		4.2.2,		†	Ÿ
4.2.2,		Ÿ		‰ ISO 14971:2007			Ÿ

~



$$\mathbb{F}^{\alpha} \quad \mathbb{M} \quad \vdots \quad \mathbb{V}$$

文/华通威 安规检测部



3 31

6 1

μ

$\bar{U}$

$\bar{U}^{\infty}$

μ

μ

$\bar{U}$

$\neq$

GMP

L

9

6. 3

1. :

7 3 1 3 16 9 L

2. ψ $\bar{\psi}$ z

$$\begin{array}{ccccccc} & \vdots & & \sim & & v & \\ & L & & V & & & y \\ \sim & & & & & 9 & \\ & L & & v & & & \end{array}$$

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.



Ü

% EN 71-7 2014

/ 1 .

Ü

%

No

||

“ 1 ”

ü.

1

%

3

||

1

ü.

1

1

1

1

ü

1 ↓

1 ↓

1

1

α

Ü

DOE 2014 4 4 2009 % 2009 L % Ü

70 23 20 W

8000 1. % 2012 L ₪ % Ü

20 62 19 % Ü 2009 %

8 4 3530 30-80 2900

[2030 CO2 100 2009


3500 LED Ü % 800 ↓ T8

LED Ü % 2009

公明实验室交通指南

自驾车线路

广州方向路线：广深高速—————————————————————————————————————————————



公明实验室。

| A | 1 | 2 | 3 | 4 |
|---|---|---|---|---|
| | | | | |
| № | 3 | 3 | 0 | 0 |

| B | 1 | 2 | 3 | 4 |
|---|---|---|---|---|
| | | ≠ | ≠ | |
| № | 3 | 3 | 0 | 0 |

| C | 1 | 2 | 3 | 4 |
|---|---|---|---|---|
| | | | | |
| № | 3 | 3 | 0 | 0 |

| D | 1 | 2 | 3 | 4 |
|---|---|---|---|---|
| | ✓ | ≠ | | |